

MANHOLE COVERS AND FRAMES

UNIFLO

TYPE 2A ROTATING LOCK SYSTEM COVER AND FRAME MANUFACTURING TO SANS 50124 EN124 CLASS D400





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|---------|-----------------|-----------------|--------------|---------------|--------|
| TYPE 2A | 624mm | 700mm | 115mm | 550mm | 62kg |

GLOC LOCKABLE MANHOLE COVER AND FRAME MANUFACTURED TO SANS 50124 EN124 CLASS C250





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|------|-----------------|-----------------|--------------|---------------|--------|
| GLOC | 620mm | 790mm | 65mm | 560mm | 46kg |

TYPE 2A DOUBLE SEAL MANHOLE COVER AND FRAME MANUFACTURED TO SANS 50124 CLASS D400





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|-----------|-----------------|-----------------|--------------|---------------|--------|
| BSEN124DS | 646mm | 812mm | 100mm | 560mm | 62kg |



UNIFLO

TYPE 2AH HINGED MANHOLE COVER AND FRAME MANUFACTURED TO SANS 50124 EN124 CLASS D400





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|----------|-----------------|-----------------|--------------|---------------|--------|
| TYPE 2AH | 625mm | 700mm | 115mm | 560mm | 67kg |

CITY OF CAPE TOWN STANDARD 2010 CONCRETE FILLED MANHOLE COVER AND FRAME MANUFACTURED TO SANS 50124 CLASS D400





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|-----------|-----------------|-----------------|--------------|---------------|--------|
| TYPE 2ACT | 694mm | 800mm | 150mm | 600mm | 120kg |

TYPE 2B MANHOLE COVER AND FRAME WITH VENT SLOTS. ROTATING LOCK SYSTEM MANUFACTURED TO SANS 50124 EN124 CLASS D400





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|---------|-----------------|-----------------|--------------|---------------|--------|
| TYPE 2B | 624mm | 700mm | 115mm | 550mm | 57kg |

TYPE 4 ROTATING LOCK SYSTEM MANHOLE COVER AND FRAME MANUFACTURED TO SABS 50124 EN124 CLASS B125





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|--------|-----------------|-----------------|--------------|---------------|--------|
| TYPE 4 | 660mm | 760mm | 57mm | 560mm | 37kg |



UNIFLO

TABLE 8 GULLYGRATE MANUFACTURED TO SANS 50124 EN124 CLASS C250





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|--------|-----------------|-----------------|--------------|---------------|--------|
| TYPE 8 | 585 x 380mm | 642 x 510mm | 84mm | 540 x 350mm | 42kg |

TYPE 5 HYDRANT BOX MANUFACTURED TO SANS 50124 EN124 CLASS B125





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|--------|-----------------|-----------------|--------------|---------------|--------|
| TYPE 5 | 400 x 324mm | 533 x 458mm | 152mm | 380 x 305mm | 24kg |

TYPE 3A AND 3B DUCTILE IRON BELL TOBIES





| CODE | FLANGE DIMENSION | HEIGHT | WEIGHT |
|---------|------------------|--------|--------|
| TYPE 3A | 310 mm | 305mm | 8kg |
| TYPE 3B | 310 mm | 230mm | 7kg |

600 X 600 SQUARE MANHOLE COVER AND FRAME MANUFACTURED TO SABS 50124 EN124 CLASS B125





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|-------------|-----------------|-----------------|--------------|---------------|--------|
| 600 x 600mm | 632mm | 680mm | 40mm | 600 x 600mm | 38kg |



UNIFLO

600 X 450 RECTANGULAR MANHOLE COVER AND FRAME MANUFACTURED TO SANS 50124 EN124 CLASS B125





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|------|-----------------|-----------------|--------------|---------------|--------|
| MD | 633 x 483mm | 686 x 533mm | 56mm | 600 x 450mm | 43kg |

900 X 450 RECTANGULAR MANHOLE COVER AND FRAME MANUFACTURED TO SANS 50124 EN124 CLASS B125





| CODE | COVER DIMENSION | FRAME DIMENSION | FRAME HEIGHT | CLEAR OPENING | WEIGHT |
|-----------|-----------------|-----------------|--------------|---------------|--------|
| 900 x 450 | 935 x 495mm | 1020 x 574mm | 80mm | 900 x 450mm | 66kg |



CAPE TOWN

Unit 8, Northpoint Industrial Park, Capricorn Way, Brackenfell, Cape Town 7560 - Tel: 021-5110283 - Email: info@sanspar.co.za

JOHANNESBURG

10 Nuwejaarsvoël Avenue, Chloorkop, Kempton Park, Johannesburg 1619 - Tel: 011-3976889 - Email: jhb@sanspar.co.za

DURBAN

17 Albert Road, Westmead, Pinetown, Durban 3608 - Tel: 031-7002485 - Email: kzn@sanspar.co.za

www.sanspar.co.za