



# MANHOLE COVERS AND FRAMES

## UNIFLO

**TYPE 2A DOUBLE SEAL MANHOLE COVER AND FRAME WITH LATCHED CLOSING MECHANISM. MANUFACTURED TO SANS 50124 CLASS D400**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
BSEN124DS	646mm	812mm	100mm	560mm

\*\*\*\*\*


**TYPE 2A SINGLE SEAL MANHOLE COVER AND FRAME WITH LATCHED CLOSING MECHANISM. MANUFACTURED TO SANS 50124 EN124 CLASS D400**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2AHL	605m	700 X 700mm	100m	560mm

\*\*\*\*\*

**TYPE 2A MANHOLE COVER AND FRAME WITH ROTATING CLOSING MECHANISM. MANUFACTURED TO SANS 50124 EN124 CLASS D400**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2A	624mm	700mm	115mm	550mm



**SANS PAR**

### UNIFLO

**CITY OF CAPE TOWN STANDARD 2010 CONCRETE FILLED MANHOLE COVER AND FRAME. MANUFACTURED TO SANS 50124 CLASS D400**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2ACT	694mm	800mm	150mm	600mm

\*\*\*\*\*


**TYPE 2A SEWAGE MANHOLE COVER AND FRAME. CONFORMS TO DRAKENSTEIN SPECIFICATION AND MANUFACTURED TO SANS 50124 EN124 CLASS D400**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2AP	588mm	672mm	105mm	520mm

\*\*\*\*\*

**TYPE 2B MANHOLE COVER AND FRAME WITH VENT SLOTS AND ROTATING CLOSING MECHANISM. MANUFACTURED TO SANS 50124 EN124 CLASS D400**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2B	624mm	700mm	115mm	555mm

## UNIFLO


**TYPE 4 MANHOLE COVER AND FRAME WITH ROTATING CLOSING MECHANISM. MANUFACTURED TO SABS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE4	660mm	755mm	57mm	600mm

\*\*\*\*\*


**TABLE 8 GULLY GRATE MANUFACTURED TO SANS 50124 EN124 CLASS C250**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE8	592 x 400mm	642 x 510mm	88mm	540 x 350mm

\*\*\*\*\*

**600 X 600 SQUARE MANHOLE COVER AND FRAME MANUFACTURED TO SABS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
600X600	636 x 636mm	680 x 680mm	40mm	600 x 600mm



**SANS PAR**

## UNIFLO

**600 X 450 RECTANGULAR MANHOLE COVER AND FRAME  
MANUFACTURED TO SANS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
MD	635 x 487mm	686 x 533mm	42mm	600 x 450mm

\*\*\*\*\*

**900 X 450 RECTANGULAR MANHOLE COVER AND FRAME  
MANUFACTURED TO SANS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
900X450	935 x 495mm	1020 x 574mm	80mm	900 x 450mm

\*\*\*\*\*


**TYPE 5 HYDRANT BOX MANUFACTURED TO  
SANS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE5	400 x 324mm	533 x 458mm	158	380 x 305mm

\*\*\*\*\*

**HBP HYDRANT BOX MANUFACTURED TO  
DRAKENSTEIN AND OVERMEER SPECIFICATION**




CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
HBP	440 x 270mm	514 x 338mm	65mm	444 x 270mm



**SANS PAR**

### UNIFLO

VBP VALVE BOX MANUFACTURED TO  
DRAKENSTEIN AND OVERMEER SPECIFICATION



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
VBP	340 x 340mm	414 x 414mm	102mm	344 x 344mm

\*\*\*\*\*

### TYPE 3A AND 3B DUCTILE IRON BELL TOBIES



CODE	FLANGE DIMENSION	HEIGHT
TYPE3A	310 mm	305mm
TYPE3B	310 mm	230mm



**SANS PAR**

**CAPE TOWN**

Unit 8, Northpoint Industrial Park, Capricorn Way, Brackenfell, Cape Town 7560 - Tel: 021-5110283 - Email: info@sanspar.co.za

**JOHANNESBURG**

10 Nuwejaarsvoël Avenue, Chloorkop, Kempton Park, Johannesburg 1619 - Tel: 011-3976889 - Email: jhb@sanspar.co.za

**DURBAN**

17 Albert Road, Westmead, Pinetown, Durban 3608 - Tel: 031-7002485 - Email: kzn@sanspar.co.za

**GQEBERHA**

6 Barry Street Sidwell, Port Elizabeth - Tel: 041-4512360 - Email: salespe@effast.co.za

[www.sanspar.co.za](http://www.sanspar.co.za)